



Yee 45° Soldable

TIPO DE ACERO: T-304 / T-316L
CONEXIÓN: Soldable
ACABADO: 180 Grit – 420 Grit

COMPOSICIÓN QUÍMICA (%)								
304	(C)	(Si)	(Mn)	(P)	(S)	(Cr)	(Ni)	(Mo)
	0.08	1.00	2.00	0.045	0.03	18-20	8-11	-

COMPOSICIÓN QUÍMICA (%)								
316	(C)	(SI)	(MN)	(P)	(S)	(Cr)	(Ni)	(Mo)
	0.035	1.00	2.00	0.045	0.03	16-18	10-14	2-3

DIMENSIONES (mm)				
SIZE	A	B	C	T
½"	90.0	20.0	92.0	1.65
¾"	90.0	20.0	92.0	1.65
1"	127.0	50.8	127.0	1.65
1 ½"	157.2	50.8	157.2	1.65
2"	181.0	50.8	181.0	1.65
2 ½"	215.9	50.8	215.9	1.65
3"	225.4	50.8	225.4	1.65
4"	273.1	76.2	273.1	2.11
6"	317.5	101.6	317.5	2.77

