

ABRAZADERA CLAMP LAH PREMIUM



TIPO DE ACERO: T-304
MEDIDAS DISPONIBLES: ¾", 1 ½", 2", 2 ½", 3", 4", 6".

COMPOSICIÓN QUÍMICA (%)								
304	(C)	(Si)	(Mn)	(P)	(S)	(Cr)	(Ni)	(Mo)
	0.08	1.00	2.00	0.045	0.03	18-20	8-11	-

PROPIEDADES MECÁNICAS			
Elongation(%)	Tensile Strength (Mpa)	Yield Strength (Mpa)	Hardness (HB)
Min. 35	Min. 485	Min. 170	Máx. 90

DIMENSIONES (mm)						
SIZE	A	B	C	D	E	F
¾"	18.9	22.2	28.6	3.3	22.4	19
1 ½"	33.5	38.3	54	6.35	25.4	19
2"	40.3	46.2	67.4	6.35	25.4	19
2 ½"	46.7	54.3	81	6.25	25.3	19
3"	55	62.3	94.6	6.25	25.3	19
4"	68	75	122.5	6	25	19
6"	94	105.4	170	6	38	25

